

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT C	C. CATEGORY TDP _____ TM <input checked="" type="checkbox"/> OTHER _____			
D. SYSTEM/ITEM UH72A SFTS		E. CONTRACT/PR NO. STOCII-14-KOV-0002		F. CONTRACTOR		
1. DATA ITEM NO. C003	2. TITLE OF THE DATA ITEM Operator Manual		3. SUBTITLE			
4. AUTHORITY (Data Acquisition Document No.)		5. CONTRACT REFERENCE SOW Paragraph 3.5.2		6. REQUIRING OFFICE SFAE-STRI-PS-Q		
7. DD 250 REQ DD	9. DIST STATEMENT REQUIRED D	10. FREQUENCY 1TIME/R	12. DATE OF FIRST SUBMISSION See Block 16	14. DISTRIBUTION		
8. APP CODE A		11. AS OF DATE N/A	13. DATE OF SUBSEQUENT SUBMISSION See Block 16	a. ADDRESSEE	b. COPIES	
16. REMARKS 1. Block 4: Annex to Exhibit "C" and MIL-STD-40051-2A apply. 2. Block 9: Distribution authorized to the US Department of Defense and US Department of Defense contractors only due to critical technology, effective 31 Mar 08. Other requests for this document shall be referred to US Army PEO STRI (SFAE-STRI-PS-Q). 3. Block 12: First submission shall be due 45 days prior to the start of operator training. 4. Block 13: Revisions as required through the life of the delivery order. 5. Block 14: One reproducible shall be delivered on a CD-ROM or via electronic mail in a format compatible with Microsoft Office 2007 and Microsoft Windows XP to the addressees identified. Graphics packages used to create figures, tables, charts, etc., shall be optical linking and embedding (OLE) compatible. Deliveries to SFAE-STRI-PS-Q and the site shall be submitted on a CD-ROM in Acrobat .pdf format. One copy shall also be sent to the following: scott.brookins@us.army.mil and craig.cunningham@us.army.mil. 6. The Government will have 30 days for review and acceptance or rejection of each submission. 7. The contractor shall have 15 days to incorporate government comments.						
			SFAE-STRI-PMCATT	1	1	1
			SFAE-STRI-KOV	1	1	1
15. TOTAL				2	2	2
G. PREPARED BY Schwartz, Jason		H. DATE 17-DEC-2013		I. APPROVED BY		
				J. DATE		

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT C	C. CATEGORY TDP _____ TM <input checked="" type="checkbox"/> OTHER _____			
D. SYSTEM/ITEM UH72A SFTS		E. CONTRACT/PR NO. STOCII-14-KOV-0002		F. CONTRACTOR		
1. DATA ITEM NO. C004	2. TITLE OF THE DATA ITEM Maintenance Manual		3. SUBTITLE			
4. AUTHORITY (Data Acquisition Document No.)		5. CONTRACT REFERENCE SOW Paragraph 3.5.3		6. REQUIRING OFFICE SFAE-STRI-PS-Q		
7. DD 250 REQ DD	9. DIST STATEMENT REQUIRED D	10. FREQUENCY 1TIME/R	12. DATE OF FIRST SUBMISSION See Block 16	14. DISTRIBUTION		
8. APP CODE A		11. AS OF DATE N/A	13. DATE OF SUBSEQUENT SUBMISSION See Block 16	a. ADDRESSEE	b. COPIES	
16. REMARKS 1. Block 4: Annex to Exhibit "C" and MIL-STD-40051-2A apply. 2. Block 9: Distribution authorized to the US Department of Defense and US Department of Defense contractors only due to critical technology, effective 31 Mar 08. Other requests for this document shall be referred to US Army PEO STRI (SFAE-STRI-PS-Q). 3. Block 12: First submission shall be due 45 days prior to the start of operator training. 4. Block 13: Revisions as required through the life of the delivery order. 5. Block 14: One reproducible shall be delivered on a CD-ROM or via electronic mail in a format compatible with Microsoft Office 2007 to the addressees identified. Graphics packages used to create figures, tables, charts, etc., shall be optical linking and embedding (OLE) compatible. Deliveries to SFAE-STRI-PS-Q and the site shall be submitted on a CD-ROM in Acrobat .pdf format. One copy shall also be sent to the following: scott.brookins@us.army.mil and craig.cunningham@us.army.mil. 6. The Government will have 30 days for review and acceptance or rejection of each submission. 7. The contractor shall have 15 days to incorporate government comments.						
			SFAE-STRI-PMCATT	1	1	1
			SFAE-STRI-KOV	1	1	1
15. TOTAL				2	2	2
G. PREPARED BY Schwartz, Jason		H. DATE 17-DEC-2013		I. APPROVED BY		
				J. DATE		

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please do not return your form to the above organization. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY	
		TDP _____	TM _____ OTHER _____ TMSS _____

D. SYSTEM/ITEM UH72A SFTS	E. CONTRACT/PR NO. STOCII-14-KOV-0002	F. CONTRACTOR
-------------------------------------	---	----------------------

1. DATA ITEM NO. C005	2. TITLE OF THE DATA ITEM See Block 16	3. SUBTITLE
---------------------------------	--	--------------------

4. AUTHORITY (Data Acquisition Document No.) DI-TMSS-80527B	5. CONTRACT REFERENCE SOW Paragraph 3.5.1	6. REQUIRING OFFICE SFAE-STRI-PS-Q
---	---	--

7. DD 250 REQ DD	9. DIST STATEMENT REQUIRED D	10. FREQUENCY 1TIME	12. DATE OF FIRST SUBMISSION See Block 16	14. DISTRIBUTION		
----------------------------	--	-------------------------------	---	-------------------------	--	--

8. APP CODE A	11. AS OF DATE N/A	13. DATE OF SUBSEQUENT SUBMISSION See Block 16	a. ADDRESSEE	b. COPIES		
Final						
				Draft	Reg	Repro

16. REMARKS Block 2: Commercial Off-the-Shelf (COTS) Manuals and Associated Supplemental Data 1. BLOCK 8: GOVERNMENT APPROVAL REQUIRED. 2. BLOCK 9: DISTRIBUTION STATEMENT "D". DISTRIBUTION AUTHORIZED TO US DEPARTMENT OF DEFENSE AND US DEPARTMENT OF DEFENSE CONTRACTORS ONLY DUE TO THE USE OF CRITICAL MILITARY TECHNOLOGY. OTHER REQUESTS SHALL BE REFERRED TO PEO STRI SFAE-STRI-PS-Q, 12350 RESEARCH PARKWAY, ORLANDO FL 32826. 3. BLOCKS 11, 12 AND 13. SHALL BE SUBMITTED 30 DAYS PRIOR TO FIELDING OF FIRST SYSTEM. ADDRESSES ARE LISTED IN BLOCK 14. 4. REPRODUCIBLE SHALL BE DELIVERED ON A CD-ROM/DVD OR VIA ELECTRONIC MAIL TO THE ADDRESSEES IN BLOCK 14. ONE COPY SHALL ALSO BE SENT TO THE FOLLOWING: scott.brookins@us.army.mil and craig.cunningham@us.army.mil. 5. ONE SET OF COTS MANUALS (CD-ROM/DVD) SHALL BE OVER-PACKED WITH EACH TRAINER. 6. CONTRACTOR FORMAT IS ACCEPTABLE.	SFAE-STRI-PMCATT	1	1	1	
	SFAE-STRI-KOV	1	1	1	
15. TOTAL		2	2	2	

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

G. PREPARED BY Schwartz, Jason	H. DATE 17-DEC-2013	I. APPROVED BY	J. DATE
--	-------------------------------	-----------------------	----------------

ANNEX TO EXHIBIT C
(TABLE A-II, TABLE A-IV of
MIL-STD-40051-2A)

TECHNICAL PUBLICATIONS

(OPERATOR MANUAL)

FOR

UH-72A SYNTHETIC FLIGHT TRAINING SYSTEM (SFTS)

Prepared by
Program Executive Office Simulation, Training and Instrumentation (PEO STRI)
12350 Research Parkway
Orlando, FL 32826-3276



Adobe Acrobat
Document

TM Requirement Matrix for Operator Manual			
TM Content	- 10	MIL-STD-40051- 2 Reference	Element Name
FRONT MATTER	R	5.2.1	<paper.frnt>
Front cover	R	5.2.1.1	<frntcover>
Warning summary	R	5.2.1.3	<warnsum>
Change transmittal page	R	5.2.1.4	<chgsheet>
List of effective pages / work packages (Excluding pocket TMs and publications with less than eight pages)	R	5.2.1.5	<loepwp>
Title block page	R	5.2.1.6	<titleblk>
Table of contents	R	5.2.1.8	<contents>
How to use this manual	R	5.2.1.9	<howtouse>
CHAPTER 1. GENERAL INFORMATION, EQUIPMENT DESCRIPTION AND THEORY OF OPERATION	R	B.5.1	<gim>
<i>GENERAL INFORMATION WORK PACKAGE</i>	R	B.5.2	<ginfowp>
Scope	R	B.5.2.3	<scope>
List of abbreviations/acronyms	R	B.5.2.13	<loa>
Safety, care, and handling	R	B.5.2.16	<sftyinfo>
<i>EQUIPMENT DESCRIPTION AND DATA WORK PACKAGE</i>	R	B.5.3	<descwp>
Equipment characteristics, capabilities, and features	R	B.5.3.3	<eqpinfo>
Location and description of major components	R	B.5.3.4	<locdesc>
Differences between models	R	B.5.3.5	<eqpdiff>
CHAPTER X. OPERATOR INSTRUCTIONS	R	C.5.1	<opim>
<i>DESCRIPTION AND USE OF OPERATOR CONTROLS AND INDICATORS WORK PACKAGE</i>	R	C.5.2.3	<ctrlindwp>
<i>OPERATION UNDER USUAL CONDITIONS WORK PACKAGE</i>	R	C.5.2.4	<opusualwp>
Security measures for electronic data	R	C.5.2.4.3	<secref>
Assembly and preparation for use	R	C.5.2.4.6	<prepforuse>
Initial adjustments, before and self-test	R	C.5.2.4.7	<initial>
Operating procedures	R	C.5.2.4.8	<oper>
Operating auxiliary equipment	R	C.5.2.5	<opunuwp>
<i>OPERATION UNDER UNUSUAL CONDITIONS WORK PACKAGE</i>	R	C.5.2.5	<opunuwp>
Security measures for electronic data	R	C.5.2.5.3.1	<secref>
Unusual environment / weather	R	C.5.2.5.3.2	<unusualenv>
Degraded operation procedures	R	C.5.2.5.3.6	<degraded>

TROUBLESHOOTING INDEX WORK PACKAGE	R	D.5.5.5	<tsindxwp>
CHAPTER X. TROUBLESHOOTING PROCEDURES NOTE <i>The notation (*) indicates that, if required, at least one of these content items shall be included</i>	R	D.5.1 D.5.4.2	<tim> <troublecategory>
*OPERATIONAL CHECKOUT WORK PACKAGES	R	D.5.5.8.3	<opcheckwp>
*TROUBLESHOOTING PROCEDURES WORK PACKAGES	R	D.5.5.8.4	<tswp>
*COMBINED OPERATIONAL CHECKOUT AND TROUBLESHOOTING PROCEDURES WORK PACKAGES	R	D.5.5.8.5	<opcheck-tswp>
CHAPTER X. PMCS MAINTENANCE INSTRUCTIONS NOTE <i>PMCS is required as a minimum in one maintenance chapter</i>	R	E.5.2 E.5.2.1	<mim> <pmcscategory>
PMCS INTRODUCTION WORK PACKAGE	R	E.5.3.4.1	<pmcsintrowp>
PMCS, INCLUDING LUBRICATION INSTRUCTIONS, WORK PACKAGE	R	E.5.3.4.2	<pmcswp>
CHAPTER X. SUPPORTING INFORMATION NOTE <i>Applicable supporting information work packages shall be arranged in the order in which they are presented here and numbered accordingly.</i>	R		<sim>
REFERENCES WORK PACKAGE	R	G.5.2	<refwp>
COMPONENTS OF END ITEM (COEI) AND BASIC ISSUE ITEMS (BII) LISTS WORK PACKAGE	R	G.5.4	<coeibiiwp>
EXPENDABLE AND DURABLE ITEMS LIST WORK PACKAGE	R	G.5.6	<explistwp>
REAR MATTER	R	5.2.2	<rear>
DA Form 2028	R	5.2.2.3	<da2028>
Back cover	R	5.2.2.7	<back>
<u>Legend</u>			
R = Required			